

South Central Quarter 1-4 April 2009 – March 2009


National Chlamydia Screening Programme

- Over **554,800** young people aged **15-24** years in South Central (2006-based ONS population projections for 2009)
 - Vital Signs target (17%) – 89,939 (2008/2009 PCT plans)
 - **Coverage in 2008 / 2009 was 12.5%**
 - Vital Signs target (25%) – 138,700 (2006-based ONS population projections for 2009)
 - **Coverage in 2009/2010 is 15.8%**
 - Modelling studies (35%) – 194,285 (2006-based ONS population projections for 2010)


Testing volumes, coverage, and proportion positive

Actual and projected chlamydia testing volumes: April 2007 – December 2011

South Central: 87,621 tests in Q1-4 2009/2010
51,079 more tests would have been required in 2009/2010 to meet the 25% target!



Vital Signs Indicator April 2009 – March 2010




- ▣ Coverage Lab data
- Coverage (NCSP non Core)
- Coverage NCSP core
- ◆ Positivity NCSP only

Data as of 17.05.10. Based on those aged 15-24 years. VSI criteria

South Central

Vital Signs Indicator April 2009 – March 2010




- ▨ Coverage Lab data
- Coverage (NCSP non Core)
- Coverage NCSP core
- ◆ Positivity NCSP only

Data as of 17.05.10. Based on those aged 15-24 years. VSI criteria

ENGLAND


Coverage by sex April 09 – March 10



The denominator has been calculated by applying the sex proportions of the mid-2006 ONS population estimates to the 2009/2010 population projections. 'Total Coverage' includes tests where sex was recorded as either 'unknown' or 'unspecified'.
Data as of 17.05.10. Based on VSI criteria.

South Central

Coverage by sex April 09 - March 10




The denominator has been calculated by applying the sex proportions of the mid-2006 ONS population estimates to the 2009/2010 population projections. 'Total Coverage' includes tests where sex was recorded as either 'unknown' or 'unspecified'.


Data as of 17.05.10. Based on VSI criteria.

South Central


Testing volumes and proportion of positive cases by sex: April 2003 – March 2010



Proportion of positive index cases by age and sex: April 09 – March 10



Geographic Movement of NCSP tests: South Central: April 2009 – March 2010




For programme areas with more than one PCT, tests lost are based on tests assigned to PCTs outside of that programme area.

NCSP tests only. Data as of 17.05.10. Based on those aged 15-24 years. VSI criteria

Treatment and Partner Management (Apr 09 – Dec 09)

Percentage of positive index patients reported as treated: South Central April 2009 – December 2009




■ Patient confirmed treatment
■ Clinician confirmed treatment

Data as of 02.06.10

Proportion of index cases treated in various venue types: South Central (April 2009 – December 2009)


South Central figure: (n = 2,191)



We currently do not collect disaggregate data on the 'Other Locations'. This refers to any venue that has a qualified health professional present, such as a school nurse, or prison doctor.


Data as of 02.06.10

Proportion of partners treated per index case: South Central April 2009 – December 2009



Proportion of partners treated in various venue types: South Central (April 2009 – December 2009)

South Central figure: (n = 1,020)





We currently do not collect disaggregate data on the 'Other Locations'. This refers to any venue that has a qualified health professional present, such as a school nurse, or prison doctor.

Data as of 02.06.10

Screening venues

NCSP Testing Venues April 09 – March 10



- CASH
- GP
- PHARMACY
- ToP
- EDUCATION
- CSO
- REMOTE TESTING
- GYNAE & FERTILITY
- ANTENATAL & OBS
- MILITARY
- OUTREACH
- PRISON
- YOUTH
- OTHER

Proportion in Core Services – 39.8%

Proportion in Core Services – 50.6%

Coverage – 22.1%

Positivity – 6.0%

Coverage – 15.8%


Positivity – 5.6%

Proportion of core services reflects NCSP tests only. Coverage and positivity figure includes non NCSP non GUM tests and NCSP tests.

Data as of 17.05.10. Based on those aged 15-24 years. VSI criteria

NCSP Testing Venues by sex: South Central

April 09 – March 10



Proportion in Core Services – 29.2%

Proportion in Core Services – 62.3%

Coverage – 9.2%


Positivity – 5.6%

Coverage – 22.9%

Positivity – 5.7%

NCSP Testing Venues : South Central

April 09 – March 10



Proportion in Core Services – 55.1%

Proportion in Core Services – 35.1%

Coverage – 13.1%

Positivity – 5.5%

Coverage – 8.3%


Positivity – 5.7%

Proportion of core services reflects NCSP tests only. Coverage and positivity figure includes non NCSP non GUM tests and NCSP tests.

Data as of 17.05.10. Based on those aged 15-24 years. VSI criteria

NCSP Testing Venues : South Central

April 09 – March 10



Proportion in Core Services – 26.0%


Proportion in Core Services – 51.2%

Coverage – 10.9%

Positivity – 5.5%

Coverage – 19.0%

Positivity – 5.6%





Proportion of core services reflects NCSP tests only.
Coverage and positivity figure includes non NCSP non GUM tests and NCSP tests.

Data as of 17.05.10. Based on those aged 15-24 years. VSI criteria

NCSP Testing Venues : South Central

April 09 – March 10



Proportion in Core Services – 42.3%

Proportion in Core Services – 45.1%

Coverage – 21.5%

Positivity – 4.0%

Coverage – 25.9%

Positivity – 5.8%






Proportion of core services reflects NCSP tests only. Coverage and positivity figure includes non NCSP non GUM tests and NCSP tests.

Data as of 17.05.10. Based on those aged 15-24 years. VSI criteria

NCSP Testing Venues : South Central

April 09 – March 10



Proportion in Core Services – 53.3%

Proportion in Core Services – 70.0%

Coverage – 12.3%

Positivity – 6.1%

Coverage – 25.4%

Positivity – 5.9%




Proportion of core services reflects NCSP tests only. Coverage and positivity figure includes non NCSP non GUM tests and NCSP tests.

Data as of 17.05.10. Based on those aged 15-24 years. VSI criteria

NCSP Testing Venues : South Central

April 09 – March 10



Proportion in Core Services – 43.1%

Coverage – 15.6%


Positivity – 5.5%



Proportion of core services reflects NCSP tests only.
Coverage and positivity figure includes non NCSP non GUM tests and NCSP tests.

Data as of 17.05.10. Based on those aged 15-24 years. VSI criteria


Coverage of tests from Contraception and Sexual Health services: Apr 09 - Mar 10



NCSH tests only. Data as of 17.05.10. Based on those aged 15-24 years. VSI criteria.

South Central


Proportion of tests from Contraception and Sexual Health services: Apr 09 – Mar 10



NCSP tests only. Data as of 17.05.10. Based on those aged 15-24 years. VSI criteria.


Coverage of tests from General Practice

Apr 09 – Mar 10



NCSPP tests only. Data as of 17.05.10. Based on those aged 15-24 years. VSI criteria.


Proportion of tests from General Practice Apr 09 – Mar 10



NCSP tests only. Data as of 17.05.10. Based on those aged 15-24 years. VSI criteria.

South Central


Coverage of tests from Pharmacies: Apr 09 – Mar 10



South Central




Proportion of tests from Pharmacies: Apr 09 – Mar 10



NCSP tests only. Data as of 17.05.10. Based on those aged 15-24 years. VSI criteria.

Coverage of tests from Termination of Pregnancy: Apr 09 - Mar 10




NCSP tests only. Data as of 17.05.10. Based on those aged 15-24 years. VSI criteria.

South Central



Proportion of tests from Termination of Pregnancy : Apr 09 – Mar 10



NCSPT tests only. Data as of 17.05.10. Based on those aged 15-24 years. VSI criteria.

Proportion of positive index cases by venue type:

Apr 09 - Mar 10

