

London Quarters 1-2 April – September 2010

National Chlamydia Screening Programme


London: Profile

- Over 989,600 young people aged 15-24 years in London (2006-based ONS population projections for 2010)
 - Vital Signs target (17%) – 171,801 (2008/2009 PCT plans)
 - Coverage in 2008 / 2009 was 18.1%
 - Vital Signs target (25%) – 248,575 (2006-based ONS population projections for 2009)
 - Coverage in 2009 / 2010 was 26.0%
 - Vital Signs target (35%) – 346,360 (2006-based ONS population projections for 2010)


Testing volumes, coverage, and proportion positive

Actual and projected chlamydia testing volumes: April 2007 – March 2011

London: 136,637 tests in Q1-2 2010/11
209,723 more tests required in 2010/11 to meet the 35% target!




Vital Signs Indicator April – September 2010



- ▣ Coverage Lab data
- Coverage (NCSP non Core)
- Coverage NCSP core
- ◆ Positivity

Data as of 1.11.10. Based on those aged 15-24 years. VSI criteria

Vital Signs Indicator April – September 2010




- ▨ Coverage Lab data
- Coverage (NCSP non Core)
- Coverage NCSP core
- ◆ Positivity

Data as of 1.11.10. Based on those aged 15-24 years. VSI criteria

ENGLAND

Coverage by sex April – September 2010




The denominator has been calculated by applying the sex proportions of the mid-2006 ONS population estimates to the 2009/2010 population projections. 'Total Coverage' includes tests where sex was recorded as either 'unknown' or 'unspecified'.

Data as of 1.11.10. Based on VSI criteria.

London I

Coverage by sex April – September 2010




The denominator has been calculated by applying the sex proportions of the population estimates to the 2009/2010 population projections. 'Total Coverage' where sex was recorded as either 'unknown' or 'unspecified'.

Data as of 1.11.10. Based on VSI criteria.

- Coverage of Male tests
- Coverage of Female tests
- Total Coverage

London II

Coverage by sex April – September 2010




- Coverage of Male tests
- Coverage of Female tests
- Total Coverage




The denominator has been calculated by applying the sex proportions of the mid-2006 ONS population estimates to the 2009/2010 population projections. 'Total Coverage' includes tests where sex was recorded as either 'unknown' or 'unspecified'.

Data as of 1.11.10. Based on VSI criteria.

Testing volumes and proportion of positive cases by sex: April 2003 – September 2010




Proportion of positive cases by age and sex: April – September 10



Treatment and Partner Management

(April 2010 – June 2010)




Percentage of positive index patients reported as treated: London April 2010 – June 2010



Proportion of index cases treated in various venue types: London (April 2010 – June 2010)

London figure: (n = 1,520)


National figure: (n = 12,722)



We currently do not collect disaggregate data on the 'Other Locations'. This refers to any venue that has a qualified health professional present, such as a school nurse, or prison doctor.

Data as of 29.10.10




Number of partners treated per index case: London April 2010 – June 2010



Proportion of partners treated in various venue types: London (April 2010 – June 2010)

London figure: (n = 783)

National figure: (n = 5,907)




We currently do not collect disaggregate data on the 'Other Locations'. This refers to any venue that has a qualified health professional present, such as a school nurse, or prison doctor.

Data as of 29.10.10


Screening venues

NCSP Testing Venues: London April – September 2010

England Total
(n = 625,612)



London Total
(n = 114,303)



Proportion in Core Services – 44.2%

Proportion in Core Services – 46.3%

Coverage – 11.4%

Positivity – 5.6%

Coverage – 13.8%

Positivity – 4.9%




Proportion of core services reflects NCSP tests only. Coverage and positivity figures include non NCSP non GUM tests and NCSP tests.


Data as of 01.11.10. Based on those aged 15-24 years. VSI criteria

NCSP Testing Venues by sex: London April – September 2010

London - Male
(n = 49,208)



London - Female
(n = 64,411)



Proportion in Core Services – 26.7%

Proportion in Core Services – 61.1%

Coverage – 10.6%

Positivity – 4.0%

Coverage – 16.8%


Positivity – 5.4%



Proportion of core services reflects NCSP tests only. Coverage and positivity figures include non NCSP non GUM tests and NCSP tests.

Data as of 1.11.10. Based on those aged 15-24 years. VSI criteria

NCSP Testing Venues: London April – September 2010



Proportion in Core Services – 35.8%

Proportion in Core Services – 72.0%



Coverage – 19.2%

Positivity – 5.2%

Coverage – 8.6%

Positivity – 5.1%

NCSP Testing Venues: London April – September 2010



Proportion in Core Services – 28.4%

Proportion in Core Services – 58.5%

Coverage – 7.9%

Positivity – 4.3%

Coverage – 17.6%

Positivity – 3.0%




Proportion of core services reflects NCSP tests only. Coverage and positivity figures include non NCSP non GUM tests and NCSP tests.


Data as of 1.11.10. Based on those aged 15-24 years. VSI criteria

NCSP Testing Venues: London April – September 2010

Bromley
(n = 4,628)



Camden
(n = 1,645)



Proportion in Core Services – 31.4%

Proportion in Core Services – 83.6%

Coverage – 15.0%

Positivity – 4.2%

Coverage – 8.0%

Positivity – 4.6%




Proportion of core services reflects NCSP tests only. Coverage and positivity figures include non NCSP non GUM tests and NCSP tests.


Data as of 1.11.10. Based on those aged 15-24 years. VSI criteria

NCSP Testing Venues: London April – September 2010

City and Hackney Teaching
(n = 2,781)



Croydon
(n = 4,334)



Proportion in Core Services – 83.7%

Proportion in Core Services – 50.2%

Coverage – 13.6%

Positivity – 7.2%

Coverage – 11.5%

Positivity – 6.7%




Proportion of core services reflects NCSP tests only. Coverage and positivity figures include non NCSP non GUM tests and NCSP tests.


Data as of 1.11.10. Based on those aged 15-24 years. VSI criteria

NCSP Testing Venues: London April – September 2010

Ealing
(n = 5,414)



Enfield
(n = 1,297)



Proportion in Core Services – 31.2%

Proportion in Core Services – 44.4%

Coverage – 15.1%

Positivity – 2.5%

Coverage – 5.9%

Positivity – 5.1%




Proportion of core services reflects NCSP tests only. Coverage and positivity figures include non NCSP non GUM tests and NCSP tests.

Data as of 1.11.10. Based on those aged 15-24 years. VSI criteria


NCSP Testing Venues: London April – September 2010



Greenwich Teaching
(n = 4,342)



Hammersmith and Fulham
(n = 2,913)



Proportion in Core Services – 22.8%

Proportion in Core Services – 19.7%

Coverage – 18.9%

Positivity – 6.2%

Coverage – 15.1%

Positivity – 2.8%




Proportion of core services reflects NCSP tests only. Coverage and positivity figures include non NCSP non GUM tests and NCSP tests.


Data as of 1.11.10. Based on those aged 15-24 years. VSI criteria

NCSP Testing Venues: London April – September 2010

Haringey Teaching
(n = 3,565)



Harrow
(n = 1,533)



Proportion in Core Services – 61.2%

Proportion in Core Services – 70.4%

Coverage – 15.1%

Positivity – 5.7%

Coverage – 6.2%




Positivity – 4.2%



Proportion of core services reflects NCSP tests only. Coverage and positivity figures include non NCSP non GUM tests and NCSP tests.

Data as of 1.11.10. Based on those aged 15-24 years. VSI criteria

NCSP Testing Venues: London April – September 2010



Proportion in Core Services – 40.5%

Proportion in Core Services – 45.7%

Coverage – 9.5%

Positivity – 4.6%

Coverage – 15.8%


Positivity – 2.6%

Proportion of core services reflects NCSP tests only. Coverage and positivity figures include non NCSP non GUM tests and NCSP tests.


Data as of 1.11.10. Based on those aged 15-24 years. VSI criteria

NCSP Testing Venues: London April – September 2010

Hounslow
(n = 2,586)



Islington
(n = 2,284)



Proportion in Core Services – 42.0%

Proportion in Core Services – 58.1%

Coverage – 12.7%

Positivity – 5.1%

Coverage – 11.4%

Positivity – 5.7%




Proportion of core services reflects NCSP tests only. Coverage and positivity figures include non NCSP non GUM tests and NCSP tests.


Data as of 1.11.10. Based on those aged 15-24 years. VSI criteria

NCSP Testing Venues: London April – September 2010

Kensington and Chelsea
(n = 3,407)



Kingston
(n = 1,851)



Proportion in Core Services – 19.8%

Proportion in Core Services – 22.2%

Coverage – 16.7%

Positivity – 2.2%

Coverage – 9.5%

Positivity – 2.8%




Proportion of core services reflects NCSP tests only. Coverage and positivity figures include non NCSP non GUM tests and NCSP tests.


Data as of 1.11.10. Based on those aged 15-24 years. VSI criteria

NCSP Testing Venues: London April – September 2010

Lambeth
(n = 5,196)



Lewisham
(n = 6,079)



Proportion in Core Services – 86.7%

Proportion in Core Services – 87.2%

Coverage – 23.8%

Positivity – 8.3%

Coverage – 23.6%

Positivity – 9.0%




Proportion of core services reflects NCSP tests only. Coverage and positivity figures include non NCSP non GUM tests and NCSP tests.


Data as of 1.11.10. Based on those aged 15-24 years. VSI criteria

NCSP Testing Venues: London April – September 2010

Newham
(n = 6,130)



Redbridge
(n = 3,032)



Proportion in Core Services – 40.6%

Proportion in Core Services – 57.6%

Coverage – 16.6%

Positivity – 3.9%

Coverage – 9.3%

Positivity – 4.2%




Proportion of core services reflects NCSP tests only. Coverage and positivity figures include non NCSP non GUM tests and NCSP tests.

Data as of 1.11.10. Based on those aged 15-24 years. VSI criteria


NCSP Testing Venues: London

April – September 2010

Richmond and Twickenham
(n = 1,703)



Southwark
(n = 4,400)



Proportion in Core Services – 27.1%

Proportion in Core Services – 91.5%

Coverage – 10.6%

Positivity – 3.0%

Coverage – 18.3%

Positivity – 8.4%




Proportion of core services reflects NCSP tests only. Coverage and positivity figures include non NCSP non GUM tests and NCSP tests.

Data as of 1.11.10. Based on those aged 15-24 years. VSI criteria


NCSP Testing Venues: London

April – September 2010

Sutton and Merton
(n = 2,899)



Tower Hamlets
(n = 4,696)



Proportion in Core Services – 44.8%

Proportion in Core Services – 35.5%

Coverage – 7.1%

Positivity – 4.5%

Coverage – 17.0%

Positivity – 3.6%




Proportion of core services reflects NCSP tests only. Coverage and positivity figures include non NCSP non GUM tests and NCSP tests.

Data as of 1.11.10. Based on those aged 15-24 years. VSI criteria


NCSP Testing Venues: London

April – September 2010

Waltham Forest
(n = 6,692)



Wandsworth
(n = 2,684)



- CASH
- GP
- PHARMACY
- ToP
- EDUCATION
- CSO
- REMOTE TESTING
- GYNAE & FERTILITY
- ANTENATAL & OBS
- MILITARY
- OUTREACH
- PRISON
- YOUTH
- OTHER

Proportion in Core Services – 11.6%

Coverage – 24.9%

Positivity – 3.3%

Proportion in Core Services – 39.6%

Coverage – 11.0%

Positivity – 4.1%




Proportion of core services reflects NCSP tests only. Coverage and positivity figures include non NCSP non GUM tests and NCSP tests.

Data as of 1.11.10. Based on those aged 15-24 years. VSI criteria

NCSP Testing Venues: London April – September 2010

Westminster
(n = 5,972)



Proportion in Core Services – 20.4%

Coverage – 16.8%


Positivity – 2.3%



Proportion of core services reflects NCSP tests only.
Coverage and positivity figures include non NCSP non GUM tests and NCSP tests.


Data as of 1.11.10. Based on those aged 15-24 years. VSI criteria

Coverage of tests from Contraception and Sexual Health services: April – September 2010




NCSP tests only. Data as of 1.11.10. Based on those aged 15-24 years. VSI criteria.

Proportion of tests from Contraception and Sexual Health services: April – September 2010



NCSP tests only. Data as of 1.11.10. Based on those aged 15-24 years. VSI criteria.


Coverage of tests from General Practice April – September 2010



NCSP tests only. Data as of 1.11.10. Based on those aged 15-24 years. VSI criteria.


Proportion of tests from General Practice April – September 2010

Nationally 16.6% NCSP tests were from General Practice. In London 22.1% of NCSP tests came from GP.



London


Coverage of tests from Pharmacies: April – September 2010




NCSP tests only. Data as of 1.11.10. Based on those aged 15-24 years. VSI criteria.

London

Proportion of tests from Pharmacies: April – September 2010




Coverage of tests from Termination of Pregnancy: April – September 2010



NCSP tests only. Data as of 1.11.10. Based on those aged 15-24 years. VSI criteria.

Proportion of tests from Termination of Pregnancy: April – September 2010




NCSP tests only. Data as of 1.11.10. Based on those aged 15-24 years. VSI criteria.

London



Proportion of positive cases by venue type: April – September 2010



Data as of 1.11.10. NCSP tests only. Based on those aged 15-24 years. VSI criteria